

# SEISMIC SURVEY DESIGN SOFTWARE

ESA®



## Acquisition Survey Design and 3D Modeling Software

The MESA software provides a flexible and robust toolkit to help optimize survey design and planning of land, OBS and marine projects.


Since MESA was introduced in 1993, our team has worked in collaboration with its worldwide client base of E&P companies and contractors to add functionality, improve performance, and enhance the user's workflow.

## MESA's comprehensive suite of products:

- MESA Field: Provides the tools necessary to build, manipulate, and analyze survey designs. The focus is on the implementation of designs, including addressing daily operational requirements. MESA Field is ideal for users who need hands-on 3D acquisition planning capabilities in a streamlined package.
- > **MESA Professional:** MESA Professional includes all of the functionality of MESA Field with expanded tools for analyzing, costing, and tracking seismic projects.


Advanced geophysical attribute analysis, management of multiple projects, map projection transformation, import/export of GIS information, and streaming WMS imagery are only a few of the many essential design tools. Also included is a Gator<sup>™</sup> interface for importing and efficiently analyzing OBS acquisition attributes. MESA geometries can be exported directly into MESA<sup>®</sup> SimSurvey<sup>™</sup> for cost and time analysis.

MESA Expert: The definitive 3D survey design package, incorporates all the features of MESA Professional with the tools to create subsurface illumination attributes through flexible and straightforward geologic model building and ray tracing. 3D visualization assists in the spatial interpretation of attribute diagnostics. VSP and cross-borehole surveys can be analyzed. MESA Expert also contains a two-way interface to NORSAR-3D<sup>\*</sup>.




# **Key Benefits**


- Provides advanced survey design and subsurface coverage analysis for land, OBS, and marine projects including multi-component and downhole geometries.
- Optimizes project planning through the analysis of a wide variety of geophysical attributes.
- Offers fast and straightforward geologic modeling, raytracing, and target illumination analysis.



MESA Field



MESA Professional



	MESA Field	MESA Professional	MESA Expert	
Design layoutLand and OBS layouts, SPS/SEGP import, unit templateMulti-import of survey filesMarine survey design, P1/90 importDownhole geometries, 2D crooked lineReceiver deployment and retrieval windows fortime-based templatesExport to MESA SimSurvey time and motion analysis	√ √			
Editing tools Source/receiver editing, editing undo/redo, spreadsheets Template editing Project notes with attachments, annotations	$\checkmark$	$\checkmark$	✓ ✓ ✓	
Bin analysisBin grid definition and statisticsCMP bin attribute displays of fold, offset, azimuthOffset vector tiles, cross spreadsBin attribute cross plots, rose diagramsTrace migration aperture and Fresnel Zone modeling4D attribute analysis	√ √			
Exclusion zones Exclusion zone definition and export Perimeter polygon creation from fold coverage and survey extents Exclusion zone import from Shapefile and vector formats Exclusion zone statistics and analysis tools	√ √		$\begin{array}{c} \checkmark \\ \checkmark \\ \checkmark \\ \checkmark \\ \checkmark \end{array}$	
Attribute displays   Source/receiver attribute definition and display   Project tracking tools   Attribute-based filtering   Histograms, cross plotting, pie charts   Gator attribute import and analysis	✓ ✓ ✓			
GIS features Map projection definition and translation (Blue Marble <sup>™</sup> ) Web mapping service (WMS) KMZ import/export for use in Google Earth <sup>™</sup>		$\checkmark$ $\checkmark$	$\checkmark$ $\checkmark$	
Utility functions   Translation and rotation of survey coordinates   Land survey statistics, spreadsheet export   Cost analysis   Export of industry standard data formats   P1/11 format export   Multiple project analysis and merging   Pre-plot vs. post-plot coordinate comparison   Synthetic trace generation   3D viewing window	✓ ✓ ✓ ✓			
Model building and raytracingGeologic model building and model-based attribute displayRaytracing (offset, image, normal, PS converted wave)Synthetic VSP generationCMP vs. CRP fold comparisonWell log import, curve display, cross plotting, AVO analysisModel-based synthetic gathersNORSAR-3D* Interface			$\begin{array}{c} \checkmark \\ \checkmark \end{array}$	3

#### **SERCEL - UK**

Concept Systems Ltd. Beaverbank Business Park Logie Green Road 1 Logie Mill - Edinburgh EH7 4HG Telephone : (44) 131 557 5595 E-mail : csl-sales@sercel.com

### **SERCEL - FRANCE**

16 rue de Bel Air B.P. 30439 - 44474 CARQUEFOU Cedex Téléphone : (33) 2 40 30 11 81 E-mail : sales.nantes@sercel.com SAS au capital de 25 000 000 € Siège Social : 16 rue de Bel Air - 44470 CARQUEFOU 378.040.497 R.C.S. Nantes Code APE 2651B

#### SERCEL INC. - U.S.A.

17200 Park Row Houston, Texas 77084 Telephone : (1) 281 492 6688 E-mail : sales.houston@sercel.com

#### www.sercel.com

© Sercel 06/23 Produced according to the Sercel environmental printing standard



